

SafetyLink Catalogue 2025 FASTFIT MODULAR SYSTEM



enjoy safety



www.safetylink.com

Contents



FASTFIT MODULAR WARNINGS

Warnings	4
----------------	---



FASTFIT MODULAR SUPPORTS

Modular Stair Supports	5
------------------------------	---



FASTFIT MODULAR STAIRS

Modular Stairs - Treads 2 - 7.....	6
Modular Stairs - Treads 8 - 11.....	7
Modular Stairs - Treads 12 - 15	8
Modular Stairs - Treads 16 - 18	9



FASTFIT MODULAR PLATFORMS

Modular Platform (Mesh Regular Holes) - Length 1000 - 3000mm	10
Modular Platform (Mesh Regular Holes) - Length 4000 - 6000mm	11
Modular Platform (Mesh Small Holes) - Length 1000 - 3000mm	12
Modular Platform (Mesh Small Holes) - Length 4000 - 6000mm	13



FASTFIT MODULAR PARTS

Modular Footing Kits	14
Modular Kneerail Install Tool	14
Modular Post	14
Modular Platform Supports	14
Modular Stair & Platform Jack Kit	14
Modular Tread	14
Modular Cross Brace Kits	14
Modular Fixings	14
Modular Brackets	15
Modular Ladder Fixing Landings	15

SafetyLink's FastFit Modular System is the ultimate solution for safe and permanent height access.

Designed to meet the rigorous demands of industrial, commercial, and large-scale worksites, this innovative system delivers a reliable combination of strength, versatility, and compliance.

Unlike traditional fixed access solutions, the FastFit Modular System is fully modular, allowing for seamless customization to suit any site requirement. Its intelligently engineered components are lightweight for easy transport yet durable enough to withstand the harshest working environments.

Installation is straightforward and efficient, minimizing downtime while ensuring absolute safety standards are maintained. Whether your project requires a simple straight run, complex configurations around obstacles, or long-term permanent setups, FastFit provides a scalable and future-proof solution.

By choosing SafetyLink's FastFit Modular System, you're investing in more than just access—you're choosing efficiency, compliance, and long-term reliability without compromise.

SafetyLink Modular Systems are design to and when installed in accordance with this manual are compliant with AS 1657:2018.



Catalogue




**Safety Centre
Online Training**



**Installation
Handbook**



Data Sheet



WARNINGS

- ⚠ **Improper Use, Installation or Maintenance may result in serious injury or death.**
- ⚠ **The structure or anchorage to which SafetyLink products are to be installed shall be assessed by a professional engineer to ensure it has adequate strength to support the product.**
- ⚠ **SafetyLink products shall be installed, used and maintained in accordance with the applicable SafetyLink installation and use manual.**
- ⚠ **SafetyLink's product shall be used in accordance with the current working at height standards, codes of practice, regulation or legislation in the region of use.**
- ⚠ **During installation, use and maintenance, personnel shall not be exposed to a fall hazard.**
- ⚠ **Installation is to be carried out by, or under the supervision of, a competent person.**
- ⚠ **The installer shall complete the applicable SafetyLink online training modules before installing this product.**
- ⚠ **Connection systems used with SafetyLink Anchor, Lifelines and Rigid Rail Systems shall contain a personal energy absorber.**
- ⚠ **Do not carry out any modifications to this product without written permission from SafetyLink.**





PRODUCT CODE: STAIRM.SUPP.686X300

Max Height	300mm
Width	686mm



PRODUCT CODE: STAIRM.SUPP.1250X300

Max Height	300mm
Width	1250mm



PRODUCT CODE: STAIRM.SUPP.1850X300

Max Height	300mm
Width	1850mm



PRODUCT CODE: STAIRM.SUPP.686X800

Max Height	800mm
Width	686mm



PRODUCT CODE: STAIRM.SUPP.1250X800

Max Height	800mm
Width	1250mm



PRODUCT CODE: STAIRM.SUPP.1850X800

Max Height	800mm
Width	1850mm



PRODUCT CODE: STAIRM.SUPP.686X1500

Max Height	1500mm
Width	686mm



PRODUCT CODE: STAIRM.SUPP.1250X1500

Max Height	1500mm
Width	1250mm



PRODUCT CODE: STAIRM.SUPP.1850X1500

Max Height	1500mm
Width	1850mm



PRODUCT CODE: STAIRM.SUPP.686X2200

Max Height	2200mm
Width	686mm



PRODUCT CODE: STAIRM.SUPP.1250X2200

Max Height	2200mm
Width	1250mm



PRODUCT CODE: STAIRM.SUPP.1850X2200

Max Height	2200mm
Width	1850mm



PRODUCT CODE: STAIRM.CASE.45.02.600	
Height	318-438mm
Width	600mm
No. of Treads	2



PRODUCT CODE: STAIRM.CASE.45.02.900	
Height	318-438mm
Width	900mm
No. of Treads	2



PRODUCT CODE: STAIRM.CASE.45.02.1200	
Height	318-438mm
Width	1200mm
No. of Treads	2



PRODUCT CODE: STAIRM.CASE.45.03.600	
Height	477-656mm
Width	600mm
No. of Treads	3



PRODUCT CODE: STAIRM.CASE.45.03.900	
Height	477-656mm
Width	900mm
No. of Treads	3



PRODUCT CODE: STAIRM.CASE.45.03.1200	
Height	477-656mm
Width	1200mm
No. of Treads	3



PRODUCT CODE: STAIRM.CASE.45.04.600	
Height	636-875mm
Width	600mm
No. of Treads	4



PRODUCT CODE: STAIRM.CASE.45.04.900	
Height	636-875mm
Width	900mm
No. of Treads	4



PRODUCT CODE: STAIRM.CASE.45.04.1200	
Height	636-875mm
Width	1200mm
No. of Treads	4



PRODUCT CODE: STAIRM.CASE.45.05.600	
Height	796-1094mm
Width	600mm
No. of Treads	5



PRODUCT CODE: STAIRM.CASE.45.05.900	
Height	796-1094mm
Width	900mm
No. of Treads	5



PRODUCT CODE: STAIRM.CASE.45.05.1200	
Height	796-1094mm
Width	1200mm
No. of Treads	5



PRODUCT CODE: STAIRM.CASE.45.06.600	
Height	955-1313mm
Width	600mm
No. of Treads	6



PRODUCT CODE: STAIRM.CASE.45.06.900	
Height	955-1313mm
Width	900mm
No. of Treads	6



PRODUCT CODE: STAIRM.CASE.45.06.1200	
Height	955-1313mm
Width	1200mm
No. of Treads	6



PRODUCT CODE: STAIRM.CASE.45.07.600	
Height	1114-1532mm
Width	600mm
No. of Treads	7



PRODUCT CODE: STAIRM.CASE.45.07.900	
Height	1114-1532mm
Width	900mm
No. of Treads	7



PRODUCT CODE: STAIRM.CASE.45.07.1200	
Height	1114-1532mm
Width	1200mm
No. of Treads	7



PRODUCT CODE: STAIRM.CASE.45.08.600

Height	1273-1751mm
Width	600mm
No. of Treads	8



PRODUCT CODE: STAIRM.CASE.45.08.900

Height	1273-1751mm
Width	900mm
No. of Treads	8



PRODUCT CODE: STAIRM.CASE.45.08.1200

Height	1273-1751mm
Width	1200mm
No. of Treads	8



PRODUCT CODE: STAIRM.CASE.45.09.600

Height	1432-1969mm
Width	600mm
No. of Treads	9



PRODUCT CODE: STAIRM.CASE.45.09.900

Height	1432-1969mm
Width	900mm
No. of Treads	9



PRODUCT CODE: STAIRM.CASE.45.09.1200

Height	1432-1969mm
Width	1200mm
No. of Treads	9



PRODUCT CODE: STAIRM.CASE.45.10.600

Height	1592-2188mm
Width	600mm
No. of Treads	10



PRODUCT CODE: STAIRM.CASE.45.10.900

Height	1592-2188mm
Width	900mm
No. of Treads	10



PRODUCT CODE: STAIRM.CASE.45.10.1200

Height	1592-2188mm
Width	1200mm
No. of Treads	10



PRODUCT CODE: STAIRM.CASE.45.11.600

Height	1752-2407mm
Width	600mm
No. of Treads	11



PRODUCT CODE: STAIRM.CASE.45.11.900

Height	1752-2407mm
Width	900mm
No. of Treads	11



PRODUCT CODE: STAIRM.CASE.45.11.1200

Height	1752-2407mm
Width	1200mm
No. of Treads	11

- SafetyLink Modular Systems are a modular access system for permanent installation in a wide variety of scenarios. SafetyLink Modular Systems are design to and when installed in accordance with this manual are compliant with AS 1657:2018.



PRODUCT CODE: STAIRM.CASE.45.12.600

Height	1911-2626mm
Width	600mm
No. of Treads	12



PRODUCT CODE: STAIRM.CASE.45.12.900

Height	1911-2626mm
Width	900mm
No. of Treads	12



PRODUCT CODE: STAIRM.CASE.45.12.1200

Height	1911-2626mm
Width	1200mm
No. of Treads	12



PRODUCT CODE: STAIRM.CASE.45.13.600

Height	2070-2845mm
Width	600mm
No. of Treads	13



PRODUCT CODE: STAIRM.CASE.45.13.900

Height	2070-2845mm
Width	900mm
No. of Treads	13



PRODUCT CODE: STAIRM.CASE.45.13.1200

Height	2070-2845mm
Width	1200mm
No. of Treads	13



PRODUCT CODE: STAIRM.CASE.45.14.600

Height	2228-2074mm
Width	600mm
No. of Treads	14



PRODUCT CODE: STAIRM.CASE.45.14.900

Height	2228-2074mm
Width	900mm
No. of Treads	14



PRODUCT CODE: STAIRM.CASE.45.14.1200

Height	2228-2074mm
Width	1200mm
No. of Treads	14



PRODUCT CODE: STAIRM.CASE.45.15.600

Height	2388-3282mm
Width	600mm
No. of Treads	15




PRODUCT CODE: STAIRM.CASE.45.15.900

Height	2388-3282mm
Width	900mm
No. of Treads	15



PRODUCT CODE: STAIRM.CASE.45.15.1200

Height	2388-3282mm
Width	1200mm
No. of Treads	15



PRODUCT CODE: STAIRM.CASE.45.16.600

Height	2547-3501mm
Width	600mm
No. of Treads	16



PRODUCT CODE: STAIRM.CASE.45.16.900

Height	2547-3501mm
Width	900mm
No. of Treads	16



PRODUCT CODE: STAIRM.CASE.45.16.1200

Height	2547-3501mm
Width	1200mm
No. of Treads	16




PRODUCT CODE: STAIRM.CASE.45.17.600

Height	2706-3720mm
Width	600mm
No. of Treads	17



PRODUCT CODE: STAIRM.CASE.45.17.900

Height	2706-3720mm
Width	900mm
No. of Treads	17



PRODUCT CODE: STAIRM.CASE.45.17.1200

Height	2706-3720mm
Width	1200mm
No. of Treads	17




PRODUCT CODE: STAIRM.CASE.45.18.600

Height	2865-3939mm
Width	600mm
No. of Treads	18




PRODUCT CODE: STAIRM.CASE.45.18.900

Height	2865-3939mm
Width	900mm
No. of Treads	18



PRODUCT CODE: STAIRM.CASE.45.18.1200

Height	2865-3939mm
Width	1200mm
No. of Treads	18



PRODUCT CODE: STAIRM.PLAT.G.686X1000


Length	1000mm
Width	686mm
Mesh	Regular Holes

PRODUCT CODE: STAIRM.PLAT.G.1250X1000

Length	1000mm
Width	1250mm
Mesh	Regular Holes

PRODUCT CODE: STAIRM.PLAT.G.1850X1000

Length	1000mm
Width	1850mm
Mesh	Regular Holes



PRODUCT CODE: STAIRM.PLAT.G.686X2000


Length	2000mm
Width	686mm
Mesh	Regular Holes

PRODUCT CODE: STAIRM.PLAT.G.1250X2000

Length	2000mm
Width	1250mm
Mesh	Regular Holes

PRODUCT CODE: STAIRM.PLAT.G.1850X2000

Length	2000mm
Width	1850mm
Mesh	Regular Holes



PRODUCT CODE: STAIRM.PLAT.G.686X3000

Length	3000mm
Width	686mm
Mesh	Regular Holes

PRODUCT CODE: STAIRM.PLAT.G.1250X3000


Length	3000mm
Width	1250mm
Mesh	Regular Holes

PRODUCT CODE: STAIRM.PLAT.G.1850X3000

Length	3000mm
Width	1850mm
Mesh	Regular Holes

Got questions? Contact SafetyLink for more information

1300 789 545



PRODUCT CODE: STAIRM.PLAT.G.686X4000

Length	4000mm
Width	686mm
Mesh	Regular Holes




PRODUCT CODE: STAIRM.PLAT.G.1250X4000

Length	4000mm
Width	1250mm
Mesh	Regular Holes




PRODUCT CODE: STAIRM.PLAT.G.1850X4000

Length	4000mm
Width	1850mm
Mesh	Regular Holes



PRODUCT CODE: STAIRM.PLAT.G.686X5000

Length	5000mm
Width	686mm
Mesh	Regular Holes




PRODUCT CODE: STAIRM.PLAT.G.1250X5000

Length	5000mm
Width	1250mm
Mesh	Regular Holes




PRODUCT CODE: STAIRM.PLAT.G.1850X5000

Length	5000mm
Width	1850mm
Mesh	Regular Holes




PRODUCT CODE: STAIRM.PLAT.G.686X6000

Length	6000mm
Width	686mm
Mesh	Regular Holes




PRODUCT CODE: STAIRM.PLAT.G.1250X6000

Length	6000mm
Width	1250mm
Mesh	Regular Holes



PRODUCT CODE: STAIRM.PLAT.G.1850X6000

Length	6000mm
Width	1850mm
Mesh	Regular Holes



PRODUCT CODE: STAIRM.PLAT.S.686X1000


Length	1000mm
Width	686mm
Mesh	Small Holes

PRODUCT CODE: STAIRM.PLAT.S.1250X1000

Length	1000mm
Width	1250mm
Mesh	Small Holes

PRODUCT CODE: STAIRM.PLAT.S.1850X1000

Length	1000mm
Width	1850mm
Mesh	Small Holes



PRODUCT CODE: STAIRM.PLAT.S.686X2000


Length	2000mm
Width	686mm
Mesh	Small Holes

PRODUCT CODE: STAIRM.PLAT.S.1250X2000

Length	2000mm
Width	1250mm
Mesh	Small Holes

PRODUCT CODE: STAIRM.PLAT.S.1850X2000

Length	2000mm
Width	1850mm
Mesh	Small Holes



PRODUCT CODE: STAIRM.PLAT.S.686X3000

Length	3000mm
Width	686mm
Mesh	Small Holes

PRODUCT CODE: STAIRM.PLAT.S.1250X3000


Length	3000mm
Width	1250mm
Mesh	Small Holes

PRODUCT CODE: STAIRM.PLAT.S.1850X3000

Length	3000mm
Width	1850mm
Mesh	Small Holes


Got questions? Contact SafetyLink for more information

1300 789 545



PRODUCT CODE: STAIRM.PLAT.S.686X4000

Length	4000mm
Width	686mm
Mesh	Small Holes



PRODUCT CODE: STAIRM.PLAT.S.1250X4000

Length	4000mm
Width	1250mm
Mesh	Small Holes




PRODUCT CODE: STAIRM.PLAT.S.1850X4000

Length	4000mm
Width	1850mm
Mesh	Small Holes



PRODUCT CODE: STAIRM.PLAT.S.686X5000

Length	5000mm
Width	686mm
Mesh	Small Holes




PRODUCT CODE: STAIRM.PLAT.S.1250X5000

Length	5000mm
Width	1250mm
Mesh	Small Holes




PRODUCT CODE: STAIRM.PLAT.S.1850X5000

Length	5000mm
Width	1850mm
Mesh	Small Holes




PRODUCT CODE: STAIRM.PLAT.S.686X6000

Length	6000mm
Width	686mm
Mesh	Small Holes



PRODUCT CODE: STAIRM.PLAT.S.1250X6000

Length	6000mm
Width	1250mm
Mesh	Small Holes



PRODUCT CODE: STAIRM.PLAT.S.1850X6000

Length	6000mm
Width	1850mm
Mesh	Small Holes




PRODUCT CODE: STAIRM.FOOT.KIT.CC

Support Footing Kit: Concrete



PRODUCT CODE: STAIRM.FOOT.KIT.SM

Support Footing Kit: Sheet Metal



PRODUCT CODE: GUARD001.TOOL_KR.K

Kneerail Installation Tool Kit



PRODUCT CODE: STAIRM.PLAT.POST

Platform Guardrail Post



PRODUCT CODE: STAIRM.SUPP.WALL.CON
PRODUCT CODE: STAIRM.SUPP.WALL.686
PRODUCT CODE: STAIRM.SUPP.WALL.1250

Platform Support Wall Mounted




PRODUCT CODE: STAIRM.JACK.KIT

Stair and Platform Jack Kit



PRODUCT CODE: STAIRM.TREAD.2.600
PRODUCT CODE: STAIRM.TREAD.2.900
PRODUCT CODE: STAIRM.TREAD.2.1200

Tread Kit, 2 Step, Width 600, 900 or 1200



PRODUCT CODE: STAIRM.BRACE.2500
PRODUCT CODE: STAIRM.BRACE.3000
PRODUCT CODE: STAIRM.BRACE.3500
PRODUCT CODE: STAIRM.BRACE.4000

Cross Brace Kits, 2500, 3000, 3500 & 4000



PRODUCT CODE: CON-M10X130

Concrete Fixing



PRODUCT CODE: CON-MECH-FISV.10.30

Fischer Bolt Anchor



PRODUCT CODE: STAIRM.BRKT.KIT.A

Stair Bracket Kit



PRODUCT CODE: STAIRM.BRKT.KIT.B

Post Bracket Kit



PRODUCT CODE: STAIRM.BRKT.KIT.C

Corner Bracket Kit



PRODUCT CODE: STAIRM.BRKT.KIT.DH

Stringer Post Bracket Kit



PRODUCT CODE: STAIRM.BRKT.KIT.E

Hanger Bracket Kit



PRODUCT CODE: STAIRM.BRKT.KIT.F

Foot Bracket Kit



PRODUCT CODE: STAIRM.BRKT.KIT.GH

Brace Bracket Kit



PRODUCT CODE: STAIRM.BRKT.I

Clip Bracket Kit




PRODUCT CODE: STAIRM.BRKT.J

Platform Splice Kit



PRODUCT CODE: STAIRM.BRKT.K

Stair Bracket to Structure Kit



STAIRM.BRK.LND75.M

Ladder Fixing Bracket Landing for 75deg Kit



STAIRM.BRK.LND90.M

Ladder Fixing Bracket Landing for 90deg Kit



Asia-Pacific/The Americas

info@safetylink.com

1300 789 545

Europe/Africa/Middle East

export@safetylink.com

+61 (0)2 4964 1068

Northern Europe

export@safetylink.com

+61 (0)2 4964 1068

www.safetylink.com



FS 707792