



SCAN ME

Manual



SCAN ME

Safety Centre
Training



SCAN ME

Catalogue




SCAN ME

Website

SafetyLink Modular Systems are a modular access system for permanent installation in a wide variety of scenarios. SafetyLink Modular Systems are design to and when installed in accordance with this manual are compliant with AS 1657:2018.

Determining the best location for your access system can be difficult. SafetyLink recommends a risk assessment be conducted to accurately assess the key hazards of your particular work area. Hazards include but are not limited to; ingress and egress from the access system, machinery and vehicles use in the area, electrical conductivity and chemical agents.



© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on jp@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



STAIRM.PLAT.S.686X1000		STAIRM.PLAT.S.1250X1000		STAIRM.PLAT.S.1850X1000	
Length	1000mm	Length	1000mm	Length	1000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Small Holes	Mesh	Small Holes	Mesh	Small Holes



STAIRM.PLAT.S.686X2000		STAIRM.PLAT.S.1250X2000		STAIRM.PLAT.S.1850X2000	
Length	2000mm	Length	2000mm	Length	2000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Small Holes	Mesh	Small Holes	Mesh	Small Holes



STAIRM.PLAT.S.686X3000		STAIRM.PLAT.S.1250X3000		STAIRM.PLAT.S.1850X3000	
Length	3000mm	Length	3000mm	Length	3000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Small Holes	Mesh	Small Holes	Mesh	Small Holes



SCAN ME

Manual



SCAN ME

Safety Centre
Training



SCAN ME

Catalogue



SCAN ME

Website

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



STAIRM.PLAT.S.686X4000		STAIRM.PLAT.S.1250X4000		STAIRM.PLAT.S.1850X4000	
Length	4000mm	Length	4000mm	Length	4000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Small Holes	Mesh	Small Holes	Mesh	Small Holes



STAIRM.PLAT.S.686X5000		STAIRM.PLAT.S.1250X5000		STAIRM.PLAT.S.1850X5000	
Length	5000mm	Length	5000mm	Length	5000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Small Holes	Mesh	Small Holes	Mesh	Small Holes



STAIRM.PLAT.S.686X6000		STAIRM.PLAT.S.1250X6000		STAIRM.PLAT.S.1850X6000	
Length	6000mm	Length	6000mm	Length	6000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Small Holes	Mesh	Small Holes	Mesh	Small Holes



SCAN ME

Manual



SCAN ME

Safety Centre
Training



SCAN ME

Catalogue



SCAN ME

Website

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



STAIRM.PLAT.G.686X1000		STAIRM.PLAT.G.1250X1000		STAIRM.PLAT.G.1850X1000	
Length	1000mm	Length	1000mm	Length	1000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Regular Holes	Mesh	Regular Holes	Mesh	Regular Holes



STAIRM.PLAT.G.686X2000		STAIRM.PLAT.G.1250X2000		STAIRM.PLAT.G.1850X2000	
Length	2000mm	Length	2000mm	Length	2000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Regular Holes	Mesh	Regular Holes	Mesh	Regular Holes



STAIRM.PLAT.G.686X3000		STAIRM.PLAT.G.1250X3000		STAIRM.PLAT.G.1850X3000	
Length	3000mm	Length	3000mm	Length	3000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Regular Holes	Mesh	Regular Holes	Mesh	Regular Holes



SCAN ME

Manual



SCAN ME

Safety Centre
Training



SCAN ME

Catalogue



SCAN ME

Website

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0





SafetyLink Modular Systems are a modular access system for permanent installation in a wide variety of scenarios. SafetyLink Modular Systems are design to and when installed in accordance with this manual are compliant with AS 1657:2018.



STAIRM.PLAT.G.686X4000		STAIRM.PLAT.G.1250X4000		STAIRM.PLAT.G.1850X4000	
Length	4000mm	Length	4000mm	Length	4000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Regular Holes	Mesh	Regular Holes	Mesh	Regular Holes



STAIRM.PLAT.G.686X5000		STAIRM.PLAT.G.1250X5000		STAIRM.PLAT.G.1850X5000	
Length	5000mm	Length	5000mm	Length	5000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Regular Holes	Mesh	Regular Holes	Mesh	Regular Holes



STAIRM.PLAT.G.686X6000		STAIRM.PLAT.G.1250X6000		STAIRM.PLAT.G.1850X6000	
Length	6000mm	Length	6000mm	Length	6000mm
Width	686mm	Width	1250mm	Width	1850mm
Mesh	Regular Holes	Mesh	Regular Holes	Mesh	Regular Holes



SCAN ME

Manual



SCAN ME

Safety Centre
Training



SCAN ME

Catalogue



SCAN ME

Website

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



STAIRM.CASE.45.02.600		STAIRM.CASE.45.02.900		STAIRM.CASE.45.02.1200	
Height	318-438mm	Height	318-438mm	Height	318-438mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	2	No. of Treads	2	No. of Treads	2



STAIRM.CASE.45.03.600		STAIRM.CASE.45.03.900		STAIRM.CASE.45.03.1200	
Height	477-656mm	Height	477-656mm	Height	477-656mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	3	No. of Treads	3	No. of Treads	3



STAIRM.CASE.45.04.600		STAIRM.CASE.45.04.900		STAIRM.CASE.45.04.1200	
Height	636-875mm	Height	636-875mm	Height	636-875mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	4	No. of Treads	4	No. of Treads	4



STAIRM.CASE.45.05.600		STAIRM.CASE.45.05.900		STAIRM.CASE.45.05.1200	
Height	796-1094	Height	796-1094	Height	796-1094
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	5	No. of Treads	5	No. of Treads	5



SCAN ME

Manual



SCAN ME

Safety Centre
Training



SCAN ME

Catalogue



SCAN ME

Website

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on jp@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



STAIRM.CASE.45.06.600		STAIRM.CASE.45.06.900		STAIRM.CASE.45.06.1200	
Height	955-1313mm	Height	955-1313mm	Height	955-1313mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	6	No. of Treads	6	No. of Treads	6



STAIRM.CASE.45.07.600		STAIRM.CASE.45.07.900		STAIRM.CASE.45.07.1200	
Height	1114-1532mm	Height	1114-1532mm	Height	1114-1532mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	7	No. of Treads	7	No. of Treads	7



STAIRM.CASE.45.08.600		STAIRM.CASE.45.08.900		STAIRM.CASE.45.08.1200	
Height	1273-1751mm	Height	1273-1751mm	Height	1273-1751mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	8	No. of Treads	8	No. of Treads	8



STAIRM.CASE.45.09.600		STAIRM.CASE.45.09.900		STAIRM.CASE.45.09.1200	
Height	1432-1969mm	Height	1432-1969mm	Height	1432-1969mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	9	No. of Treads	9	No. of Treads	9



SCAN ME

Manual



SCAN ME

Safety Centre
Training



SCAN ME

Catalogue



SCAN ME

Website

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



STAIRM.CASE.45.10.600		STAIRM.CASE.45.10.900		STAIRM.CASE.45.10.1200	
Height	1592-2188mm	Height	1592-2188mm	Height	1592-2188mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	10	No. of Treads	10	No. of Treads	10



STAIRM.CASE.45.11.600		STAIRM.CASE.45.11.900		STAIRM.CASE.45.11.1200	
Height	1752-2407mm	Height	1752-2407mm	Height	1752-2407mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	11	No. of Treads	11	No. of Treads	11



STAIRM.CASE.45.12.600		STAIRM.CASE.45.12.900		STAIRM.CASE.45.12.1200	
Height	1911-2626mm	Height	1911-2626mm	Height	1911-2626mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	12	No. of Treads	12	No. of Treads	12



SCAN ME

Manual



SCAN ME

Safety Centre
Training



SCAN ME

Catalogue



SCAN ME

Website

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



STAIRM.CASE.45.13.600		STAIRM.CASE.45.13.900		STAIRM.CASE.45.13.1200	
Height	2070-2845mm	Height	2070-2845mm	Height	2070-2845mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	13	No. of Treads	13	No. of Treads	13



STAIRM.CASE.45.14.600		STAIRM.CASE.45.14.900		STAIRM.CASE.45.14.1200	
Height	2228-3074mm	Height	2228-3074mm	Height	2228-3074mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	14	No. of Treads	14	No. of Treads	14



STAIRM.CASE.45.15.600		STAIRM.CASE.45.15.900		STAIRM.CASE.45.15.1200	
Height	2388-3282mm	Height	2388-3282mm	Height	2388-3282mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	15	No. of Treads	15	No. of Treads	15



SCAN ME
Manual



SCAN ME
Safety Centre
Training



SCAN ME
Catalogue



SCAN ME
Website

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



STAIRM.CASE.45.16.600		STAIRM.CASE.45.16.900		STAIRM.CASE.45.16.1200	
Height	2547-3501mm	Height	2547-3501mm	Height	2547-3501mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	16	No. of Treads	16	No. of Treads	16



STAIRM.CASE.45.17.600		STAIRM.CASE.45.17.900		STAIRM.CASE.45.17.1200	
Height	2706-3720mm	Height	2706-3720mm	Height	2706-3720mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	17	No. of Treads	17	No. of Treads	17



STAIRM.CASE.45.18.600		STAIRM.CASE.45.18.900		STAIRM.CASE.45.18.1200	
Height	2865-3939mm	Height	2865-3939mm	Height	2865-3939mm
Width	600mm	Width	900mm	Width	1200mm
No. of Treads	18	No. of Treads	18	No. of Treads	18



SCAN ME

Manual



SCAN ME

Safety Centre
Training



SCAN ME

Catalogue



SCAN ME

Website

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



STAIRM.SUPP.686X300		STAIRM.SUPP.1250X300		STAIRM.SUPP.1850X300	
Max Height	300mm	Max Height	300mm	Max Height	300mm
Width	686mm	Width	1250mm	Width	1850mm



STAIRM.SUPP.686X800		STAIRM.SUPP.1250X800		STAIRM.SUPP.1850X800	
Max Height	800mm	Max Height	800mm	Max Height	800mm
Width	686mm	Width	1250mm	Width	1850mm



SCAN ME
Manual



SCAN ME
Safety Centre
Training



SCAN ME
Catalogue



SCAN ME
Website

STAIRM.SUPP.686X1500		STAIRM.SUPP.1250X1500		STAIRM.SUPP.1850X1500	
Max Height	1500mm	Max Height	1500mm	Max Height	1500mm
Width	686mm	Width	1250mm	Width	1850mm



STAIRM.SUPP.686X2200		STAIRM.SUPP.1250X2200		STAIRM.SUPP.1850X2200	
Max Height	2200mm	Max Height	2200mm	Max Height	2200mm
Width	686mm	Width	1250mm	Width	1850mm

© 2018, SafetyLink Pty Ltd, Australia.



Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on jp@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



DATA SHEET


Modular Platform Parts



STAIRM.TREAD.2.600	STAIRM.TREAD.2.900	STAIRM.TREAD.2.1200
Tread Kit, 2 Step Width 600	Tread Kit, 2 Step Width 900	Tread Kit, 2 Step Width 1200



STAIRM.BRACE.2500	STAIRM.BRACE.3000	STAIRM.BRACE.3500
Cross Brace Kit 2500mm	Cross Brace Kit 3000mm	Cross Brace Kit 3500mm



STAIRM.BRACE.4000	STAIRM.BRKT.KIT.A	STAIRM.BRKT.KIT.B
Cross Brace Kit 4000mm	Stair Bracket Kit	Post Bracket Kit



SCAN ME

Manual



SCAN ME

Safety Centre
Training



SCAN ME

Catalogue



SCAN ME

Website



STAIRM.BRKT.KIT.C	STAIRM.BRKT.KIT.DH	STAIRM.BRKT.KIT.E
Corner Bracket Kit	Stringer Post Bracket Kit	Hanger Bracket Kit



STAIRM.BRKT.KIT.F	STAIRM.BRKT.KIT.GH	STAIRM.BRKT.I
Foot Bracket Kit	Brace Bracket Kit	Clip Bracket Kit

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



Asia-Pacific/The Americas
info@safetylink.com

Europe/Africa/Middle East
europe.sales@safetylink.com

Northern Europe
uk.sales@safetylink.com



DATA SHEET

Modular Platform Parts




STAIRM.BRKT.KIT.K	STAIRM.BRKT.KIT.J	STAIRM.TOE.JOIN
Stair Bracket to Structure Kit	Platform Splice Kit	Toe Board Join



STAIRM.SUPP.WALL.CON	STAIRM.SUPP.WALL.686	STAIRM.SUPP.WALL.1250
Platform Support Wall Connection	Platform Support Wall Mounted Width 686mm	Platform Support Wall Mounted Width 1250mm



STAIRM.FOOT.KIT.CC	STAIRM.BRK.LND75.M	STAIRM.BRK.LND90.M
Support Footing Kit: Concrete	Ladder Fixing Bracket Landing for 75deg Kit	Ladder Fixing Bracket Landing for 90deg Kit



STAIRM.FOOT.KIT.SM	CON-MECH-FISV.10.30	CON-M10X130
Support Footing Kit: Sheet Metal	Fischer Bolt Anchor	Concrete Fixing



STAIRM.PLAT.POST	GUARD001.TOOL_KR.K	STAIRM.JACK.KIT
Platform Guardrail Post	Kneerail Installation Tool Kit	Stair and Platform Jack Kit



SCAN ME

Manual



SCAN ME

Safety Centre Training



SCAN ME

Catalogue



SCAN ME

Website

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on jp@safetylink.com and quote the product code.

Doc ID: MKT-7993 Version: 8.0



Asia-Pacific/The Americas
info@safetylink.com

Europe/Africa/Middle East
europe.sales@safetylink.com

Northern Europe
uk.sales@safetylink.com